



<b>SBM 40</b>							
<b>Ø6 mm</b>	r=30						
<b>Ø8 mm</b>	r=17,5	r=20	r=23	r=24	r=35	r=70	
<b>Ø10 mm</b>	r=15	r=20	r=30	r=35	r=45	r=82	
<b>Ø12 mm</b>	r=20	r=25	r=30 2 st.	r=36	r=60		
<b>Ø12.7 mm</b>	r=30	r=36	r=40 2 st.	r=60			
<b>Ø13 mm</b>	r=25	r=65					
<b>Ø14 mm</b>	r=27	r=32	r=40				
<b>Ø15 mm</b>	r=25	r=27.5	r=35	r=45	r=47.5	r=50	r=59
	r=150						
<b>Ø16 mm</b>	r=28	r=30	r=35	r=40	r=45	r=50	r=59.5
	r=60	r=65	r=70	r=75	r=80	r=92	r=95
	r=105						
<b>Ø18 mm</b>	r=34	r=35	r=39	r=48	r=50	r=60	
<b>Ø19 mm</b>	r=30	r=40 2 st.	r=45	r=50	r=55	r=60	r=70
	r=80	r=90	r=110	r=190			
<b>Ø20 mm</b>	r=30	r=32.5	r=40	r=45	r=50	r=60	r=75
	r=100	r=120					
<b>Ø21 mm</b>	r=60	r=70					
<b>Ø21,3 mm</b>	r=50						
<b>Ø22 mm</b>	r=35	r=39.5	r=40	r=45 2 st.	r=50 2 st.	r=55	r=60
	r=62.5	r=71	r=75	r=77	r=85	r=100	r=110
	r=126						
<b>I pall</b>	r=145	r=152.5					
<b>Ø23 mm</b>	r=46.5						
<b>Ø25 mm</b>	r=40	r=50 2 st.	r=56	r=60	r=62	r=65	r=70
	r=76	r=77.5	r=85	r=112	r=115	r=135	r=147
	r=60 och 100						
<b>I pall</b>	r=160 (Trä)	r=205	r=222				
<b>Ø26.9 mm</b>	r=54	r=77.5					
<b>Ø27 mm</b>	r=53	r=75	r=83				
<b>Ø28 mm</b>	r=45	r=50	r=55	r=60	r=70	r=90	r=100
	r=160						







<b>HBM 50</b>							
<b>Ø18 mm</b>	r=60	r=80					
<b>Ø22 mm</b>	r=35	r=45	r=65				
<b>Ø25 mm</b>	r=50	r=60	r=75				
<b>Ø28 mm</b>	r=40	r=84					
<b>Ø30 mm</b>	r=50	r=70	r=90				
<b>Ø32 mm</b>	r=42	r=70					
<b>Ø33.7 mm</b>	r=50	r=60	r=83	r=100	r=112		
<b>Ø35 mm</b>	r=60	r=100					
<b>Ø38 mm</b>	r=80	r=152	r=265				
<b>Ø40 mm</b>	r=90						
<b>Ø42 mm</b>	r=84	r=125					
<b>Ø42.4 mm</b>	r=75	r=90	r=104				
<b>Ø44.5 mm</b>	r=57.5	r=75					
<b>Ø45 mm</b>	r=110	r=175					
<b>Ø48 mm</b>	r=193						
<b>Ø48.3 mm</b>	r=150						
<b>Ø50 mm</b>	r=100	r=125 plast	r=160	r=250			
<b>Ø50.8 mm</b>	r=130						
<b>Ø57 mm</b>	r=160						
<b>HBM 50</b>							
<b>Fyrkant</b>							
<b>20x20</b>	r=80	r=100	r=240				
<b>25x25</b>	r=82.5	r=82.5 plast	r=185 trä				
<b>30x30</b>	r=120						
<b>40x40</b>	r=120	r=172	r=295				

